Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-139-2689

Thread Class:
2g
Thread Pitch Diameters:
+2.986 to 3.000 inches
Thread Direction:
Right-hand
Body Style:
Straight shape, internal coupling w/strain relief
Body Length:
11.726 inches
Overall Diameter:
Between 3.547 inches and 3.579 inches
Environmental Protection:
Moisture resistant and vibration resistant and shock resistant
Cable Entrance Diameter:
2.280 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
24-354 single mating end
Contact Removability:
Removable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
73.0 single mating end 1st contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end all contact groupings
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded coupling ring
Connector Cable Strain Relief Method:
Cable clamp
Thread Length:
0.813 inches

NSN 5935-00-139-2689

Electrical Plug Connector - Page 2 of 2



Thready Qty Per Inch (tpi):

#### 4

Thread Size:

3.000 inches

# **Terminal Location:**

Back single mating end all contact groupings

### **Contact Material:**

Copper alloy single mating end all contact groupings

#### **Contact Surface Treatment:**

Gold single mating end all contact groupings and silver single mating end all contact groupings

#### **Insert Material:**

Rubber single mating end

#### **Terminal Type:**

Crimp single mating end all contact groupings

#### Shell Material:

Aluminum alloy 6061

#### **Shell Surface Treatment:**

Anodize

### **Shell Material Specification:**

Qq-a-325, gr t6 federal specification single material response

### **Included Contact Quantity:**

61 single mating end 3rd contact grouping

### **Included Contact Type:**

Round socket single mating end all contact groupings

# Precious Material And Location:

Contact surfaces gold and contact surfaces silver

# **Precious Material And Weight:**

 $0.131\ gold\ grains,\ troy\ and\ 0.131\ silver\ grains,\ troy$ 

# **Precious Material:**

Gold and silver

# **Thread Series Designator:**

Acme

# Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A039b0