Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-139-8928

Dardy Chilay
Body Style:
Straight shape
Overall Length: 2.375 inches
Overall Height: 0.666 inches
Overall Width:
0.330 inches
Unthreaded Mounting Hole Diameter:
0.125 inches
Distance Between Mounting Facility Centers:
2.075 inches
Mating End Quantity:
1 Operated Depitien American Otolog
Contact Position Arrangement Style:
2 rows of independent contacts inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
600.0 single mating end single contact grouping
Polarization Method:
Contact to contact polarizing keys
Shell Type:
Connector Locking Method:
Spring friction
Connector Cable Strain Relief Method:
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic phenolic single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping
Contact Material Specification:
Qq-c-533 federal specification single material response single mating end single contact grouping

NSN 5935-00-139-8928

Electrical Receptacle Connector - Page 2 of 2



Shell Material:

Plastic phenolic

Included Contact Quantity:

30 single mating end single contact grouping

Included Contact Type:

Leaf spring single mating end single contact grouping

Precious Material And Location:

Contact surface gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0