

View Online at <https://aerobasegroup.com/nsn/5935-00-140-6127>

**Thread Class:**

2a and 2a and 2a

**Thread Direction:**

Right-hand and right-hand and right-hand

**Body Style:**

Straight shape w/jackscrew

**Overall Length:**

Between 2.775 inches and 2.805 inches

**Overall Height:**

1.123 inches

**Overall Width:**

Between 0.887 inches and 0.917 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.135 inches

**Distance Between Mounting Facility Centers:**

Between 2.455 inches and 2.485 inches

**Threaded Device Type:**

Coupling facility and coupling facility and mounting stud

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

132 single mating end

**Polarization Method:**

Polarization boss and guide pin/socket

**Shell Type:**

Solid

**Connector Locking Method:**

Screw

**Thread Size:**

0.138 inches and 0.138 inches and 0.138 inches

**Insert Material:**

Plastic diallyl phthalate single mating end or plastic epoxy single mating end

**Shell Material:**

Steel comp 302 or steel comp 303 or steel comp 304

**Shell Material Specification:**

Qq-s-766, class 302 federal specification single material response

**Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end

**Thread Series Designator:**

Unc and unc and unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-m-14 spec.