## NSN 5935-00-140-6127

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-140-6127

**Thread Class:** 

2a and 2a and 2a

**Thread Direction:** 

Right-hand and right-hand and right-hand

**Body Style:** 

Straight shape w/jackscrew

**Overall Length:** 

Between 2.775 inches and 2.805 inches

**Overall Height:** 

1.123 inches

**Overall Width:** 

Between 0.887 inches and 0.917 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.135 inches

**Distance Between Mounting Facility Centers:** 

Between 2.455 inches and 2.485 inches

**Threaded Device Type:** 

Coupling facility and coupling facility and mounting stud

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

132 single mating end

Polarization Method:

Polarization boss and guide pin/socket

Shell Type:

Solid

**Connector Locking Method:** 

Screw

**Thread Size:** 

0.138 inches and 0.138 inches and 0.138 inches

**Insert Material:** 

Plastic diallyl phthalate single mating end or plastic epoxy single mating end

**Shell Material:** 

Steel comp 302 or steel comp 303 or steel comp 304

**Shell Material Specification:** 

Qq-s-766, class 302 federal specification single material response

**Insert Material Specification:** 

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single response

**Thread Series Designator:** 

Unc and unc and unc

Shelf Life:

N/a

## NSN 5935-00-140-6127

Electrical Receptacle Connector Body - Page 2 of 2



Demilitarization:	

**Unit Of Measure:** 

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.