## NSN 5935-00-152-2038

Electrical Receptacle Connector - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5935-00-152-2038 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.938 inches **Overall Height:** 2.750 inches **Overall Width:** 2.750 inches **Environmental Protection:** Moisture resistant and vibration resistant and watertight **Unthreaded Mounting Hole Diameter:** 0.173 inches **Center To Center Distance Between Mounting Facilities Parallel To Height:** 2.188 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.188 inches **Distance From Mounting Shoulder To Front Face:** 0.875 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 40-5 single mating end **Contact Removability:** Removable single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Thread Length:** 0.625 inches

16

Thready Qty Per Inch (tpi):

## NSN 5935-00-152-2038

Electrical Receptacle Connector - Page 2 of 3



Thread Size:
2.500 inches
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 2 military specification single treatment response single mating end all contact groupings
Terminal Type:
Solder well single mating end all contact groupings
Contact Material Specification:
Qq-b-626, comp 360 federal specification single material response single mating end all contact groupings
Shell Material:
Aluminum alloy 6061
Shell Surface Treatment:
Chromate
Shell Material Specification:
Qq-a-367 federal specification single material response
Insert Material Specification:
Mil-m-14, type mdg military specification single material response single mating end
Included Contact Quantity:
6 single mating end 4th contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.075 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0

## NSN 5935-00-152-2038

Electrical Receptacle Connector - Page 3 of 3



Mil-std (military Standard):

Mil-g-45204 spec.