NSN 5935-00-153-7912

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-153-7912 **Thread Class:** 2b and 2a and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape w/jackscrew **Overall Length:** 2.780 inches **Overall Height:** 0.822 inches **Overall Width:** 0.520 inches **Environmental Protection:** Vibration resistant and thermal shock resistant and corrosion resistant **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 2.460 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 88 single mating end **Polarization Method:** Polarization boss and guide pin/socket **Connector Locking Method:** Screw **Thread Size:** 0.138 inches and 0.138 inches and 0.138 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification single material response single mating end **Thread Series Designator:** Unc and unc and unc Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5935-00-153-7912

Electrical Receptacle Connector Body - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.