NSN 5935-00-159-0103

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-159-0103

Body Style:
Straight shape, internal coupling
Overall Length:
1.040 inches
Overall Diameter:
0.219 inches
Environmental Protection:
Heat resistant and salt water resistant and vibration resistant
Cable Entrance Diameter:
0.156 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Bayonet latch
Connector Cable Strain Relief Method:
Crimp type
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic polytetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, cl 2 military specification single treatment response single mating end single contact grouping
Terminal Type:
Crimp and solder single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification 1st material response single mating end single contact grouping or qq-c-533 federal specification 2nd material
response single mating end single contact grouping
Shell Material:
Copper alloy

Gold

Shell Surface Treatment:

NSN 5935-00-159-0103

Electrical Plug Connector - Page 2 of 2



Shell Surface Treatment Specification:

Mil-g-45204, type 2, cl 2 military specification single treatment response

Shell Material Specification:

Qq-b-626, comp 22 federal specification single material response

Insert Material Specification:

Mil-m-14077, cl 1 military specification single material response single mating end

Included Contact Quantity:

1 single mating end single contact grouping

Included Contact Type:

Coaxial socket single mating end single contact grouping

Precious Material And Location:

Contact and shell surfaces gold

Precious Material And Weight:

0.105 gold grains, troy

Precious Material:

Gold

Shelf Life: N/a

Unit Of Measure:

• - - - -

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.