## NSN 5935-00-160-9686

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-160-9686

Thread Class:
2a and 2b and 2a
Thread Direction:
Right-hand and right-hand and right-hand
Body Style:
Straight shape
Overall Length:
2.750 inches
Overall Height:
0.797 inches
Overall Width:
1.531 inches
Distance Between Mounting Facility Centers:
2.375 inches
Threaded Device Type:
Coupling facility and mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
25-104 single mating end
Polarization Method:
Jackscrew and polarization boss
Connector Locking Method:
Jackscrew-socket
Thready Qty Per Inch (tpi):
32 and 32 and 32
Thread Size:
0.164 inches and 0.164 inches and 0.138 inches
Insert Material:
Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end
Criticality Code Justification:
Zzzy
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification
single material response single mating end
Thread Series Designator:
Unc and unc and unc
Reference Number Differentiating Characteristics:
Material will be in accordance with ships parts control center activity hx quality control manufacturing and testing specifications
Shelf Life:
N/2

\_\_

**Unit Of Measure:** 

## NSN 5935-00-160-9686

Electrical Receptacle Connector Body - Page 2 of 2



_										
וו	0	m	ш	м	•	iza	31	^	n	

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.