Electrical Connector Backshell - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-161-6724

| Thread Class:             |  |
|---------------------------|--|
| 2b                        |  |
| Thread Direction:         |  |
| Right-hand                |  |
| Center To Center Distar   | nce Between Mounting Facilities Parallel To Length:  |
| 0.906 inches              |  |
| Overall Height:           |  |
| 1.615 inches              |  |
| Overall Width:            |  |
| Between 0.421 inches an   | d 0.453 inches   |
| Body Height:              |  |
| 1.1445 inches             |  |
| Cable Opening Quantity    | r:   |
| 1                         |  |
| Size Designation:         |  |
| 7                         |  |
| Mounting Facility Type    | And Quantity:  |
| 2 threaded hole           |  |
| Thready Qty Per Inch (t   | pi):   |
| 40                        |  |
| Thread Size:              |  |
| 0.112 inches              |  |
| Material:                 |  |
| Aluminum alloy            |  |
| Surface Treatment:        |  |
| Anodize                   |  |
| Style Designator:         |  |
| Hood, side opening w/jac  | ckscrew and clamp  |
| Surface Treatment:        |  |
| Anodize per mil-a-8625 ty | /pe 1 or type 2  |
| Test Data Document:       |  |
| 81349-mil-c-28748 specif  | ication (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes comme    | rcial catalogs, industry directories, and similar trade publications, reflecting general type data on certain        |
| environmental and perfor  | mance requirements and test conditions that are shown as "typical", "average", "", etc.).                            |
| Thread Series Designat    | or:  |
| Unc                       |  |
| Specification Data:       |  |
| 96906-ms24132 governm     | ient standard  |
| Shelf Life:               |  |
| N/a                       |  |
| Unit Of Measure:          |  |
|                           |  |
| Demilitarization:         |  |
| No                        |  |
|                           |  |

Electrical Connector Backshell - Page 2 of 2



Fiig: A10100 Mil-std (military Standard):

Mil-c-28748 spec.