NSN 5935-00-167-5952

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-167-5952

Body Style: Straight edge type w/mounting flange **Overall Length:** 5.906 inches **Overall Height:** 0.617 inches **Overall Width:** 0.406 inches **Unthreaded Mounting Hole Diameter:** 0.140 inches **Distance Between Mounting Facility Centers:** 5.609 inches **Board Accommodated Length:** 5.125 inches single board **Board Accommodated Width:** 0.062 inches **Mating End Quantity: Contact Position Arrangement Style:** 1 row of contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Inter-contact polarizing keys **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Pin single mating end single contact grouping **Insert Material Specification:**

Included Contact Quantity:

41 single mating end single contact grouping

Included Contact Type:

Leaf spring single mating end single contact grouping

Mil-m-14, type sdg military specification single material response single mating end

NSN 5935-00-167-5952

Electrical Receptacle Connector - Page 2 of 2



Precious	Material	And	Location:
----------	----------	-----	-----------

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.041 gold grains, troy and 0.041 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.