

View Online at https://aerobasegroup.com/nsn/5935-00-167-6279

# Body Style:

Straight shape

# **Overall Length:**

Between 2.714 inches and 2.744 inches

## **Overall Height:**

0.660 inches

## **Overall Width:**

Between 0.479 inches and 0.509 inches

## **Unthreaded Mounting Hole Diameter:**

Between 0.086 inches and 0.091 inches

## Distance Between Mounting Facility Centers:

Between 2.494 inches and 2.505 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

"c, 17w5" single mating end

## **Contact Removability:**

Nonremovable single mating end single contact grouping

## Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

## Polarization Method:

Mating end

## Shell Type:

Solid

#### **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

# Contact Surface Treatment:

Gold and silver single mating end single contact grouping

# Insert Material:

Plastic diallyl phthalate single mating end

# **Terminal Type:**

Solder well single mating end single contact grouping

# Shell Material:

Steel

# Shell Surface Treatment:

Cadmium and chromate

# Insert Material Specification:

Mil-m-19833, type gdi-30f military specification single material response single mating end

# Included Contact Quantity:

12 single mating end single contact grouping

# NSN 5935-00-167-6279

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.012 gold grains, troy and 0.012 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-m-19833 spec.