NSN 5935-00-167-6804

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-167-6804
Body Style:
Straight shape, external coupling
Overall Length:
1.218 inches
Overall Diameter:
0.371 inches
Environmental Protection:
Heat resistant and pressure proof and thermal shock resistant and corrosion resistant
Distance From Mounting Shoulder To Front Face:
0.872 inches
Mounting Facility Thickness:
0.172 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
Bnc single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Key, multiple key groove
Insert Position In Deg:
180.0
Shell Type:
Solid
Connector Locking Method:
Bayonet pin
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:

Cadmium

Shell Material Specification:

Qq-b-626, comp 22 federal specification single material response

NSN 5935-00-167-6804

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:

1 single mating end single contact grouping

Included Contact Type:

Coaxial pin single mating end single contact grouping

Precious Material And Location:

Contact surface gold

Precious Material And Weight:

0.005 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0