Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-173-2938

# Thread Class:

2a and 2a

## **Thread Direction:**

Right-hand and right-hand

## Body Style:

Straight shape, external coupling

### **Overall Length:**

2.375 inches

### **Overall Height:**

2.000 inches

### **Overall Width:**

2.000 inches

## **Unthreaded Mounting Hole Diameter:**

## 0.125 inches

## Center To Center Distance Between Mounting Facilities Parallel To Height:

## 1.562 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.562 inches

## Threaded Device Type:

Back shell and coupling facility

### Mating End Quantity:

1

## Contact Position Arrangement Style:

55 number 20 single mating end

### **Contact Removability:**

Nonremovable single mating end single contact grouping

### **Polarization Method:**

Keyway or multiple keyway

## Insert Position In Deg:

0.0

# Shell Type:

Solid

# **Connector Locking Method:**

Externally threaded shell

# Thready Qty Per Inch (tpi):

16 and 28

# Thread Size:

1.750 inches and 1.500 inches

# **Terminal Location:**

Back single mating end single contact grouping

# **Contact Material:**

Copper alloy single mating end single contact grouping



### Contact Surface Treatment:

Gold single mating end single contact grouping

### **Insert Material:**

Rubber single mating end

## **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Aluminum

## Shell Surface Treatment:

Anodize

### **Included Contact Quantity:**

55 single mating end single contact grouping

### **Included Contact Type:**

Round pin single mating end single contact grouping

### **Precious Material And Location:**

Contact surfaces gold

### **Precious Material And Weight:**

0.055 gold grains, troy

## Precious Material:

Gold

## Thread Series Designator:

Un and un

# Shelf Life:

N/a

## Unit Of Measure:

---

#### **Demilitarization:**

No

Fiig:

A039b0