Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-173-7851

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.437 inches
Overall Height:
2.531 inches
Overall Width:
2.531 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.938 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.938 inches
Distance From Mounting Shoulder To Front Face:
0.875 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
36-10 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
22.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thread Length:
0.625 inches



Thready Qty Per Inch (tpi):

16

## Thread Size:

2.225 inches

## **Terminal Location:**

Back all mating ends all contact groupings

## **Contact Surface Treatment:**

Silver all mating ends all contact groupings

#### **Insert Material:**

Rubber natural all mating ends

### **Terminal Type:**

Solder well all mating ends all contact groupings

### Shell Material:

Aluminum

Shell Surface Treatment:

Cadmium

### Included Contact Quantity:

48 single mating end single contact grouping

### Included Contact Type:

Round pin all mating ends all contact groupings

## **Test Data Document:**

81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Thread Series Designator:

Unc

Shelf Life: N/a Unit Of Measure: --Demilitarization:

No

Fiig:

A039b0