NSN 5935-00-175-4348

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-175-4348

| Body Style: |
|---|
| Straight shape, flush mount |
| Overall Length: |
| 1.060 inches |
| Overall Height: |
| 3.080 inches |
| Overall Width: |
| 2.000 inches |
| Environmental Protection: |
| Salt water resistant and vibration resistant |
| Unthreaded Mounting Hole Diameter: |
| 0.120 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Height: |
| 2.783 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 1.437 inches |
| Distance From Mounting Shoulder To Front Face: |
| 0.060 inches |
| Mating End Quantity: |
| 2 |
| Contact Position Arrangement Style: |
| 67 all mating ends |
| Contact Removability: |
| Nonremovable all mating ends all contact groupings |
| Contact Maximum Current Rating In Amps: |
| 7.5 2nd mating end 2nd contact grouping |
| Polarization Method: |
| 3 polarization posts |
| Shell Type: |
| Solid |
| Terminal Location: |
| Back all mating ends all contact groupings |
| Contact Material: |
| Copper alloy all mating ends all contact groupings |

Copper alloy all mating ends all contact groupings

Contact Surface Treatment:

Gold all mating ends all contact groupings

Insert Material:

Plastic diallyl phthalate all mating ends

Terminal Type:

Crimp all mating ends all contact groupings

Guide Design And Location:

Hexagon shape male post right-hand at 1 oclock

NSN 5935-00-175-4348

Electrical Receptacle Connector - Page 2 of 2



| Shell Material: |
|---|
| Aluminum alloy |
| Shell Surface Treatment: |
| Cadmium |
| Included Contact Quantity: |
| 64 2nd mating end 2nd contact grouping |
| Included Contact Type: |
| Round pin all mating ends all contact groupings |
| Precious Material And Location: |
| Contact surfaces gold |
| Precious Material And Weight: |
| 0.134 gold grains, troy |
| Precious Material: |
| Gold |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A039b0 |