## NSN 5935-00-185-5032

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-185-5032

**Body Style:** 

Straight shape, external coupling w/backshell

**Overall Length:** 

Between 1.109 inches and 1.141 inches

**Overall Height:** 

Between 1.422 inches and 1.454 inches

Overall Width:

Between 1.422 inches and 1.454 inches

**Environmental Protection:** 

Corrosion resistant and humidity resistant and solvent resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

0.120 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.187 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.187 inches

**Distance From Mounting Shoulder To Front Face:** 

0.531 inches

**Mating End Quantity:** 

**Contact Position Arrangement Style:** 

3719p single mating end

**Contact Removability:** 

Nonremovable single mating end all contact groupings

**Contact Maximum Current Rating In Amps:** 

7.5 single mating end 2nd contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

75.0

Shell Type:

**Connector Locking Method:** 

Bayonet pin

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end 1st contact grouping

**Terminal Location:** 

Back single mating end all contact groupings

**Contact Material:** 

Copper alloy single mating end all contact groupings

**Contact Surface Treatment:** 

Gold single mating end all contact groupings and silver single mating end all contact groupings

## NSN 5935-00-185-5032

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Rubber natural single mating end
Terminal Type:
Solder well single mating end all contact groupings
Shell Material:
Aluminum
Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Included Contact Quantity:
6 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end 2nd contact grouping
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.109 gold grains, troy and 0.019 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0