

View Online at <https://aerobasegroup.com/nsn/5935-00-185-9510>

Thread Class:

2a and 2b and 2a

Thread Direction:

Right-hand and right-hand and right-hand

Body Style:

Straight shape

Overall Length:

Between 1.040 inches and 1.080 inches

Overall Height:

0.620 inches

Overall Width:

Between 0.260 inches and 0.300 inches

Environmental Protection:

Moisture resistant and vibration resistant and shock resistant and heat resistant and cold resistant

Distance Between Mounting Facility Centers:

Between 0.807 inches and 0.821 inches

Threaded Device Type:

Coupling facility and mounting stud

Mating End Quantity:

12

Polarization Method:

Jackscrew and polarization boss

Connector Locking Method:

Jackscrew-socket

Thready Qty Per Inch (tpi):

48 and 48 and 48

Thread Size:

0.099 inches and 0.099 inches and 0.099 inches

Insert Material:

Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end

Insert Material Specification:

Mil-m-14, type sgd-f military specification single material response single mating end

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.