## NSN 5935-00-185-9532

**Thread Class:** 

Right-hand **Body Style:** 

**Thread Direction:** 

2a

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-185-9532

Straight shape
Overall Length:
Between 4.295 inches and 4.305 inches
Overall Height:
0.797 inches
Overall Width:
Between 0.355 inches and 0.365 inches
Environmental Protection:
Moisture resistant and vibration resistant and salt water resistant
Distance Between Mounting Facility Centers:
Between 3.995 inches and 4.005 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Length:
0.255 inches
Thread Size:
0.112 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Pin single mating end single contact grouping
Contact Material Specification:
Qq-b-750, comp a federal specification single material response single mating end single contact grouping

## NSN 5935-00-185-9532

Electrical Receptacle Connector - Page 2 of 2



## **Insert Material Specification:**

Mil-m-14, type sdi-30 military specification single material response single mating end

**Included Contact Quantity:** 

37 single mating end single contact grouping

**Included Contact Type:** 

Round pin single mating end single contact grouping

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.