## NSN 5935-00-188-8798

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-188-8798

**Body Style:** 

Straight shape w/cover

**Overall Length:** 

Between 11.495 inches and 11.505 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

8.000 inches

**Overall Width:** 

Between 9.495 inches and 9.505 inches

**Environmental Protection:** 

Heat resistant and moisture resistant and salt water resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.555 inches and 0.565 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 7.995 inches and 8.005 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

21 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

400.0 single mating end single contact grouping

**Polarization Method:** 

Contact

Shell Type:

Solid

**Connector Locking Method:** 

Latch

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Surface Treatment:** 

Silver single mating end single contact grouping

**Insert Material:** 

Plastic epoxy single mating end

**Contact Surface Treatment Specification:** 

Qq-s-365 federal specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Included Contact Quantity:** 

21 single mating end single contact grouping

**Included Contact Type:** 

Round pin single mating end single contact grouping

## NSN 5935-00-188-8798

Fiig: A039b0

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.105 silver grains, troy
Precious Material:
Silver
Test Data Document:
81349-mil-c-24368 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-24368/2 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No