## NSN 5935-00-190-0084

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-190-0084 **Body Style:** Straight shape, external coupling **Overall Length:** 1.765 inches **Overall Height:** 1.688 inches **Overall Width:** 1.688 inches **Environmental Protection:** Moisture resistant **Unthreaded Mounting Hole Diameter:** 0.147 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.375 inches **Distance From Mounting Shoulder To Front Face:** 0.589 inches **Mating End Quantity: Contact Maximum Current Rating In Amps:** 7.5 single mating end 3rd contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** 

Gold single mating end all contact groupings and silver single mating end all contact groupings

#### **Insert Material:**

Rubber single mating end

#### **Terminal Type:**

Crimp single mating end all contact groupings

#### **Shell Surface Treatment:**

Cadmium

# NSN 5935-00-190-0084

Electrical Receptacle Connector - Page 2 of 2



### **Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification single treatment response

**Included Contact Quantity:** 

45 single mating end 3rd contact grouping

**Included Contact Type:** 

Round socket single mating end 3rd contact grouping

**Precious Material And Location:** 

Contact surface gold and contact surface silver

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A039b0