Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-191-5599

Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
2.016 inches
Overall Height:
3.250 inches
Overall Width:
3.250 inches
Environmental Protection:
Moisture resistant and salt water resistant and vibration resistant
Unthreaded Mounting Hole Diameter:
0.281 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.531 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.531 inches
Distance From Mounting Shoulder To Front Face:
1.000 inches
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end all contact groupings
Contact Maximum Current Rating In Amps:
41.0 single mating end 2nd contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end all contact groupings
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end all contact groupings
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Thready Qty Per Inch (tpi): 18 and 25 **Thread Size:** 2.613 inches and 3.000 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and copper single mating end all contact groupings **Insert Material:** Rubber single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize **Included Contact Quantity:** 58 single mating end 3rd contact grouping **Included Contact Type:** Round socket single mating end all contact groupings **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.086 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Npt and special acme Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0