NSN 5935-00-192-4826

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-192-4826

view Offilite at https://defobasegroup.com/hsh/0000-102-4020
Electrical Insulation Feature:
Insulated from panel
Body Style:
Bushing mounted long frame
Overall Length:
3.515 inches
Overall Height:
0.859 inches
Mounting Hole Diameter:
0.156 inches
Mounting Bushing Length:
0.562 inches
Body Width:
0.562 inches
Bushing Accommodation Hole Shape:
Round
Accommodated Finger Type:
Two conductor, round tip single finger
Finger Accommodation Diameter:
0.249 inches and 0.253 inches single finger
Finger Accommodation Length:
1.250 inches single finger
Mounting Bushing Diameter:
Between 0.443 inches and 0.453 inches
Bushing Thru-hole Accommodation Diameter:
0.453 inches
Jack Contact Arrangement Designator:
J1
Mounting Facility Type And Quantity:
1 bushing and 1 unthreaded hole
Terminal Type:
Tab, solder lug
Material:
Plastic bushing
Material:
Plastic bushing
Surface Treatment:
Tin terminal
Surface Treatment:
Any acceptable contact
Test Data Document:
04040 will include an effective final selection from helloting breakings at a that affect an effect of the first of the fi

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5935-00-192-4826

Telephone Jack - Page 2 of 2



Specification D	ata:
-----------------	------

81349-mil-j-641/2 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03400