## NSN 5935-00-192-4859

Telephone Jack - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-192-4859



**Thread Class:** 2a **Thread Direction: Right-hand Electrical Insulation Feature:** Insulated completely **Body Style:** Right angle threaded bushing mounted short frame **Overall Length:** 1.687 inches **Overall Height:** 1.750 inches **Overall Width:** 0.750 inches Mounting Bushing Length: 0.375 inches **Bushing Accommodation Hole Shape:** Round Accommodated Finger Type: Two conductor, round tip single finger **Finger Accommodation Diameter:** 0.252 inches single finger **Finger Accommodation Length:** 1.015 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.375 inches Jack Contact Arrangement Designator: J4-1a Mounting Facility Type And Quantity: 1 bushing **Thread Size:** 0.375 inches **Terminal Type:** Tab, solder lug Material: Any acceptable terminal Surface Treatment: Tin terminal Surface Treatment: Any acceptable contact **Test Data Document:** 

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## NSN 5935-00-192-4859

Telephone Jack - Page 2 of 2



**Thread Series Designator:** 

Unef

Specification Data:

81349-mil-j-641 government specification

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03400