

View Online at <https://aerobasegroup.com/nsn/5935-00-196-6939>

Thread Class:

2a and 3b

Thread Direction:

Right-hand and right-hand and right-hand

Body Style:

Straight shape

Overall Length:

Between 0.850 inches and 0.890 inches

Overall Height:

Between 0.510 inches and 0.550 inches

Overall Width:

Between 0.250 inches and 0.290 inches

Environmental Protection:

Heat resistant and moisture resistant and vibration proof

Distance Between Mounting Facility Centers:

Between 0.620 inches and 0.630 inches

Threaded Device Type:

Mounting stud

Mating End Quantity:

12

Contact Position Arrangement Style:

14 single mating end

Polarization Method:

Guide pin/socket and 2 polarization posts

Connector Locking Method:

Spring friction

Thread Size:

0.086 inches and 0.086 inches and 0.086 inches

Insert Material:

Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end

Insert Material Specification:

Mil-p-19833, type gdi-30f military specification single material response single mating end

Thread Series Designator:

Unc and unc and unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-p-19833 spec.