## NSN 5935-00-197-4687

Plug-in Electronic Components Socket - Page 1 of 2



Body Material:	
Plastic	
Body Style:	
Top mount, press fit	
Fabrication Method:	
Molded	
Tempurature Rating:	
-65.0 degrees celsius and 150.0 degrees celsius	
Terminal Length:	
Between 0.286 inches and 0.348 inches	
Overall Height:	
Between 0.544 inches and 0.626 inches	
Overall Diameter:	
Between 0.390 inches and 0.410 inches	
Specific Equipment Accommodated:	
Relay	
Contact Maximum Current Rating In Amps:	
1.0	
Contact Material:	
Beryllium copper	
Contact Surface Treatment:	
Gold and silver	
Accommodated Contact Quantity:	
10	
Printed Circuit Board Hole Arrangement Style:	
Ten hole dimension "a" 0.200 inch	
Polarization Type:	
Colored dot	
Projection Length Above Mounting Surface:	
Between 0.046 inches and 0.078 inches	
Mounting Method:	
Terminal	
Mounting Type For Which Designed:	
Printed circuit	
Contact Position Arrangement Style:	

Contact Position Arrangement Style:

Circular

**Precious Material And Location:** 

Contact surface gold and contact surface silver

**Precious Material And Weight:** 

0.010 gold grains, troy and 0.010 silver grains, troy

**Precious Material:** 

Gold and silver

NSN 5935-00-197-4687 Plug-in Electronic Components Socket - Page 2 of 2



Terminal Type And Quantity:
10 pin
Fsc Application Data:
Connectors, electrical
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A02300