NSN 5935-00-199-2446

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-199-2446

Electrical Insulation Feature:
Insulated completely
Body Style:
Dual hole or slot mounted
Overall Length:
3.515 inches
Overall Height:
1.688 inches
Mounting Hole Diameter:
0.172 inches
Mounting Bushing Length:
0.562 inches
Body Width:
0.562 inches
Distance Between Mounting Facility Centers:
1.375 inches
Bushing Accommodation Hole Shape:
Round
Accommodated Finger Type:
Two conductor, round tip all fingers
Finger Accommodation Diameter:
0.252 inches all fingers
Finger Accommodation Length:
1.015 inches all fingers
Center To Center Distance Between Finger Accommodations:
0.625 inches
Mounting Bushing Diameter:
0.252 inches
Bushing Thru-hole Accommodation Diameter:
0.438 inches
Jack Contact Arrangement Designator:
J12
Mounting Facility Type And Quantity:
1 bushing and 2 unthreaded hole
Terminal Type:
Tab, solder lug
Material:
Any acceptable terminal
Surface Treatment:
Tin terminal
Surface Treatment:

Any acceptable contact

NSN 5935-00-199-2446

Telephone Jack - Page 2 of 2



Test Data Document:

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-j-641 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03400