NSN 5935-00-199-2446

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-199-2446

Electrical Insulation Feature:

Insulated completely

Body Style:

Dual hole or slot mounted

Overall Length:

3.515 inches

Overall Height:

1.688 inches

Mounting Hole Diameter:

0.172 inches

Mounting Bushing Length:

0.562 inches

Body Width:

0.562 inches

Distance Between Mounting Facility Centers:

1.375 inches

Bushing Accommodation Hole Shape:

Round

Accommodated Finger Type:

Two conductor, round tip all fingers

Finger Accommodation Diameter:

0.252 inches all fingers

Finger Accommodation Length:

1.015 inches all fingers

Center To Center Distance Between Finger Accommodations:

0.625 inches

Mounting Bushing Diameter:

0.252 inches

Bushing Thru-hole Accommodation Diameter:

0.438 inches

Jack Contact Arrangement Designator:

J12

Mounting Facility Type And Quantity:

1 bushing and 2 unthreaded hole

Terminal Type:

Tab, solder lug

Material:

Any acceptable terminal

Surface Treatment:

Tin terminal

Surface Treatment:

Any acceptable contact

NSN 5935-00-199-2446

Telephone Jack - Page 2 of 2



Test Data Document:

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-j-641 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03400