## NSN 5935-00-200-1017

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-200-1017

**Body Style:** 

Straight edge type w/mounting flange

**Overall Length:** 

3.505 inches

**Overall Height:** 

0.770 inches

**Overall Width:** 

0.248 inches

**Environmental Protection:** 

Heat resistant and moisture resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

0.098 inches

**Distance Between Mounting Facility Centers:** 

**3.215** inches

**Board Accommodated Length:** 

2.550 inches single board

**Board Accommodated Width:** 

0.066 inches

**Mating End Quantity:** 

---

**Contact Position Arrangement Style:** 

2 rows of independent contacts inserted board single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

3.0 single mating end single contact grouping

**Polarization Method:** 

Fixed contact to contact

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

**Contact Material Specification:** 

Qq-b-626 federal specification single material response single mating end single contact grouping

**Insert Material Specification:** 

Mil-m-14, ty sdg-f military specification single material response single mating end

## NSN 5935-00-200-1017

Electrical Receptacle Connector - Page 2 of 2



## Included Contact Quantity: 70 single mating end single contact grouping Included Contact Type: Curved pin single mating end single contact grouping Precious Material And Location: Contact surface gold Precious Material: Gold Shelf Life: N/a Unit Of Measure: -Demilitarization: No Fiig:

A039b0

Mil-m-14 spec.

Mil-std (military Standard):