Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-201-4160

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.838 inches
Overall Height:
1.188 inches
Overall Width:
1.188 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.906 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Widtl
0.906 inches
Distance From Mounting Shoulder To Front Face:
0.562 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
14s-5 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
22.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
200.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
250.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell

To Body Width:

# NSN 5935-00-201-4160

Electrical Receptacle Connector - Page 2 of 2



Thread Size:

0.875 inches

**Terminal Location:** 

Back single mating end single contact grouping

## **Terminal Type:**

Solder well single mating end single contact grouping

### Shell Material:

Aluminum alloy

## Included Contact Quantity:

5 single mating end single contact grouping

## Included Contact Type:

Round pin single mating end single contact grouping

## **Thread Series Designator:**

Unef

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A039b0