

View Online at <https://aerobasegroup.com/nsn/5935-00-201-8151>

Thread Class:

2b and 2a

Thread Direction:

Right-hand and right-hand

Body Style:

Angle shape, external/internal coupling

Overall Length:

1.562 inches

Overall Height:

1.438 inches

Overall Width:

0.844 inches

Environmental Protection:

Watertight

Threaded Device Type:

Coupling facility and coupling facility

Mating End Quantity:

2

Contact Position Arrangement Style:

Hn all mating ends

Contact Removability:

Nonremovable all mating ends all contact groupings

Shell Type:

Solid

Connector Locking Method:

Internally threaded coupling ring and externally threaded shell

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 2nd mating end 1st contact grouping

Thready Qty Per Inch (tpi):

20 and 20

Thread Size:

0.740 inches and 0.750 inches

Insert Material:

Plastic all mating ends

Shell Material:

Copper alloy

Included Contact Quantity:

1 2nd mating end 1st contact grouping

Test Data Document:

81349-mil-c-3643 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unef and unef

Specification Data:

81349-mil-c-3643 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0