NSN 5935-00-204-5098



Connector Adapter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-204-5098 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, external/internal coupling **Overall Length:** 1.500 inches **Overall Diameter:** 0.812 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** N 2nd mating end **Contact Removability:** Nonremovable all mating ends all contact groupings **Shell Type:** Solid **Connector Locking Method:** Bayonet latch and internally threaded coupling nut Radio Frequency Type Contact Characteristic Impedance In Ohms: 52.0 all mating ends all contact groupings Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.625 inches **Insert Material:** Copper alloy all mating ends **Shell Material:** Copper alloy **Shell Surface Treatment:** Anodize **Included Contact Quantity:** 2 all mating ends all contact groupings **Included Contact Type:** Coaxial pin all mating ends all contact groupings **Precious Material And Location:**

Center contact gold

Precious Material:

Gold

NSN 5935-00-204-5098

Connector Adapter - Page 2 of 2



Test Data Document:

81349-mil-a-55339 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread	oenes	Desiui	IALUI .
		9.	

Un

Specification Data:

81349--55339/18 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0