## NSN 5935-00-204-5833

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-204-5833

Body Style:
Straight shape
Overall Length:
1.719 inches
Overall Height:
0.890 inches
Overall Width:
0.875 inches
Environmental Protection:
Salt water resistant
Unthreaded Mounting Hole Diameter:
0.125 inches
Distance Between Mounting Facility Centers:
Between 1.370 inches and 1.380 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
8 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
600.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Lever-pin
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping
Shell Material:
Copper alloy

## NSN 5935-00-204-5833

Electrical Receptacle Connector - Page 2 of 2



## **Shell Surface Treatment:** Nickel **Included Contact Quantity:** 8 single mating end single contact grouping **Included Contact Type:** Leaf spring single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.008 gold grains, troy and 0.008 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A039b0