Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-204-7691

<b>T</b> I	01
Thread	Class:

2a

**Thread Direction:** 

Right-hand

# **Body Style:**

Straight shape

# **Overall Length:**

1.312 inches

#### **Overall Height:**

0.781 inches

#### **Overall Width:**

0.375 inches

## **Distance Between Mounting Facility Centers:**

1.000 inches

#### **Threaded Device Type:**

Mounting stud

## Mating End Quantity:

1

## **Contact Position Arrangement Style:**

9 single mating end

# Contact Removability:

Nonremovable single mating end single contact grouping

# Contact Maximum Current Rating In Amps:

7.5 single mating end single contact grouping

## **Polarization Method:**

Guide pin/socket

## **Thread Length:**

0.266 inches

# Thread Size:

0.112 inches

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold single mating end single contact grouping

# **Insert Material:**

Plastic polytetrafluoroethylene single mating end

# **Terminal Type:**

Solder well single mating end single contact grouping

# Included Contact Quantity:

9 single mating end single contact grouping



Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

**Precious Material And Weight:** 

0.009 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

---

**Demilitarization:** 

No

Fiig:

A039b0