NSN 5935-00-204-9909

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-204-9909

Overall Length: 2.844 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.280 inches **Overall Height:** 1.375 inches **Overall Width:** 1.234 inches **Unthreaded Mounting Hole Diameter:** 0.138 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.705 inches **Mating End Quantity: Contact Position Arrangement Style:** 24 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 13.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Bayonet latch **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Solder well single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty mdg military specification single material response single mating end **Included Contact Quantity:** 24 single mating end single contact grouping **Included Contact Type:**

Contact surfaces gold

Precious Material And Location:

Round socket single mating end single contact grouping

NSN 5935-00-204-9909

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.024 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.