

View Online at https://aerobasegroup.com/nsn/5935-00-205-9096

Thread Class: 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Straight shape, rectangular **Overall Height:** 0.859 inches **Overall Width:** 1.141 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches **Distance Between Mounting Facility Centers:** 2.328 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 12 **Contact Position Arrangement Style:** 26 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.112 inches **Insert Material:** Plastic diallyl phthalate single mating end or plastic epoxy single mating end or plastic phenolic single mating end **Shell Material:** Aluminum

Shell Surface Treatment:

Anodize and dichromate potassium

Insert Material Specification:

Mil-m-14, type sdg-f military specification single material response single mating end or mil-p-19833, type gdi-30f military specification

single material response single mating end

Shell Guide Type And Location Designator:

A pin

Thread Series Designator:

Unc and unc and unc



Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.