Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-208-4223

#### **Body Style:**

Straight shape, external coupling w/backshell

#### **Overall Length:**

1.250 inches

## **Overall Height:**

Between 0.796 inches and 0.828 inches

#### **Overall Width:**

Between 0.796 inches and 0.828 inches

#### **Environmental Protection:**

Moisture resistant and salt water resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.125 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

0.594 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.594 inches

#### Distance From Mounting Shoulder To Front Face:

Between 0.431 inches and 0.441 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

8-3 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

#### Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

0.0

#### Shell Type:

Solid

## **Connector Locking Method:**

Bayonet pin

# **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping



# Insert Material: Rubber single mating end Terminal Type: Crimp single mating end single contact grouping

Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Cadmium

#### **Included Contact Quantity:**

3 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.015 gold grains, troy and 0.015 silver grains, troy

#### **Precious Material:**

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A039b0