## NSN 5935-00-212-3632

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-212-3632

Body Style:
Straight shape
Overall Length:
0.785 inches
Overall Height:
0.415 inches
Overall Width:
0.305 inches
Environmental Protection:
Moisture proof and salt water resistant and vibration resistant
<b>Unthreaded Mounting Hole Diameter:</b>
Between 0.088 inches and 0.094 inches
Distance Between Mounting Facility Centers:
Between 0.560 inches and 0.570 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
9 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end and glass single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:

9 single mating end single contact grouping

## NSN 5935-00-212-3632

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type
-----------------------

Twisted pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.009 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0