# NSN 5935-00-213-6213

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-213-6213

### **Body Style:**

Straight shape, internal coupling w/strain relief

#### **Overall Diameter:**

1.656 inches

# **Environmental Protection:**

Moisture resistant and salt water resistant and vibration resistant

#### Cable Entrance Diameter:

Between 0.512 inches and 0.625 inches

#### Mating End Quantity:

1

#### Contact Removability:

Removable single mating end single contact grouping

### **Polarization Method:**

Keyway or multiple keyway

### **Insert Position In Deg:**

0.0

#### Shell Type:

Solid

# **Connector Locking Method:**

Bayonet latch

# Connector Cable Strain Relief Method:

Cable clamp

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

# **Terminal Type:**

Crimp single mating end single contact grouping

# Shell Material:

Aluminum alloy

#### Shell Surface Treatment:

Cadmium

# Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

#### **Included Contact Quantity:**

7 single mating end single contact grouping

# Included Contact Type:

Coaxial socket single mating end single contact grouping

# Precious Material And Location:

Contact surfaces gold

#### **Precious Material And Weight:**

0.007 gold grains, troy

# NSN 5935-00-213-6213

Electrical Plug Connector - Page 2 of 2

**Precious Material:** 

Gold

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A039b0

