NSN 5935-00-220-3879

Straight shape, thru-hole mount, external coupling

Thread Class:

Right-hand **Body Style:**

Thread Direction:

Overall Length:

2a

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-220-3879



0.892 inches **Overall Diameter:** 1.682 inches **Distance From Mounting Shoulder To Front Face:** 0.792 inches **Mounting Facility Thickness:** 0.125 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 255.0 and 220.0 and 145.0 and 95.0 Shell Type: Potting **Connector Locking Method:** Bayonet pin **Connector Cable Strain Relief Method:** Potting type Thready Qty Per Inch (tpi): **Thread Size:** 1.125 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and nickel single mating end all contact groupings **Insert Material:** Glass single mating end

NSN 5935-00-220-3879

Electrical Receptacle Connector - Page 2 of 2



Terminai Type:
Tab, solder lug single mating end all contact groupings
Shell Material:
Steel comp 1213
Shell Surface Treatment:
Tin
Shell Material Specification:
Qq-b-637 federal specification single material response
Included Contact Quantity:
5 single mating end 2nd contact grouping
Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.007 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0