Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-222-5979

#### **Thread Class:**

2a and 2a

### **Thread Direction:**

Right-hand and right-hand

### Body Style:

Straight shape, external coupling w/backshell

#### **Overall Length:**

2.125 inches

**Overall Height:** 

1.750 inches

**Overall Width:** 

1.750 inches

#### **Environmental Protection:**

Corrosion resistant and shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

0.177 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

1.375 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.375 inches

#### Distance From Mounting Shoulder To Front Face:

0.672 inches

#### Threaded Device Type:

Back shell and coupling facility

#### Mating End Quantity:

1

# **Contact Position Arrangement Style:**

22-33 single mating end

# Contact Removability:

Nonremovable single mating end single contact grouping

# Contact Maximum Current Rating In Amps:

13.0 single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end single contact grouping

# Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end single contact grouping

# **Polarization Method:**

Keyway or multiple keyway

# Insert Position In Deg:

0.0

# Shell Type:

Solid



**Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 10 and 18 **Thread Size:** 1.500 inches and 1.625 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Solder well single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium and nickel **Included Contact Quantity:** 7 single mating end single contact grouping **Included Contact Type:** Round socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.007 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Double stub and unef Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A039b0