## NSN 5935-00-227-8818

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-227-8818 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape w/solder mount **Overall Length:** 1.080 inches **Overall Diameter:** 1.470 inches **Environmental Protection:** Watertight **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** 4 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell and screw Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.250 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** 

Turret single mating end single contact grouping

# NSN 5935-00-227-8818

Electrical Receptacle Connector - Page 2 of 2



Contact	Material	Specification:
Contact	wateriai	Specification.

Qq-b-626, @comp 22, 1/2 h federal specification single material response single mating end single contact grouping

**Shell Material:** 

Copper alloy

#### **Shell Surface Treatment:**

Cadmium and chromate

#### **Shell Material Specification:**

Qq-b-626, comp 22, @1/2 h federal specification single material response

#### **Insert Material Specification:**

Mil-m-19833, type gdi-30 military specification single material response single mating end

#### **Included Contact Quantity:**

4 single mating end single contact grouping

#### **Bushing Accommodation Hole Shape:**

Round w/double flat

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### **Precious Material And Weight:**

0.020 gold grains, troy and 0.020 silver grains, troy

#### **Precious Material:**

Gold and silver

## **Thread Series Designator:**

Unef and unf and unef

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-m-19833 spec.