Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-232-4775

Thread Class: 2a Thread Direction: Right-hand Redu Stule:
Thread Direction: Right-hand
Right-hand
-
Dedy Styles
Body Style:
Straight shape
Overall Length:
0.781 inches
Overall Height:
0.531 inches
Overall Width:
0.187 inches
Environmental Protection:
Pressure proof and moisture resistant
Distance Between Mounting Facility Centers:
0.562 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
7 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Length:
0.141 inches
Thready Qty Per Inch (tpi):
32
Thread Size:
0.250 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:

Plastic diallyl phthalate single mating end

NSN 5935-00-232-4775

Electrical Receptacle Connector - Page 2 of 2



Terminal Type: Solder well single mating end single contact grouping Included Contact Quantity: 7 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Thread Series Designator:** Unef Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0