# NSN 5935-00-234-3307

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-234-3307 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Rectangular shape **Overall Length:** 2.750 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.375 inches **Overall Height:** 1.094 inches **Overall Width:** 1.219 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.750 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 41 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 700.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 980.0 single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid Thready Qty Per Inch (tpi): **Thread Size:** 0.112 inches **Terminal Location:** 

**Contact Material:** 

Copper alloy single mating end single contact grouping

Back single mating end single contact grouping

# NSN 5935-00-234-3307

Electrical Receptacle Connector - Page 2 of 2



#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

#### **Insert Material:**

Plastic diallyl phthalate single mating end

# **Contact Surface Treatment Specification:**

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

## **Contact Material Specification:**

Qq-b-626, comp 22, 1/2 h federal specification single material response single mating end single contact grouping

#### **Shell Material:**

Aluminum alloy

#### **Insert Material Specification:**

Mil-m-14 military specification single material response single mating end

#### **Included Contact Quantity:**

41 single mating end single contact grouping

#### **Included Contact Type:**

Round pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

# **Precious Material And Weight:**

0.041 gold grains, troy

# **Precious Material:**

Gold

# Thread Series Designator:

Unc

#### Shelf Life:

N/a

# **Unit Of Measure:**

# Demilitarization:

No

# Fiig:

A039b0

# Mil-std (military Standard):

Mil-g-45204 spec.