NSN 5935-00-235-8114

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-235-8114

Body Style: Straight shape **Overall Length:** 2.125 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 1.906 inches **Mating End Quantity: Contact Position Arrangement Style:** 3 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 10.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 480.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 250.0 single mating end single contact grouping **Polarization Method:** Contact Shell Type: Solid **Connector Locking Method:** Contact twistlock **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic phenolic single mating end **Terminal Type:** Screw single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Nickel **Insert Material Specification:** Mil-m-14, type cfg military specification single material response single mating end **Included Contact Quantity:** 3 single mating end single contact grouping Shelf Life:

N/a

NSN 5935-00-235-8114

Electrical Receptacle Connector - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.