NSN 5935-00-236-2182

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-236-2182



Thread Class: 2b **Thread Direction:** Right-hand **Body Style:** Right angle type **Overall Length:** Between 2.895 inches and 2.905 inches **Overall Width:** Between 0.555 inches and 0.605 inches **Body Height:** Between 0.355 inches and 0.365 inches **Environmental Protection:** Vibration resistant and shock resistant and salt water resistant **Distance Between Mounting Facility Centers:** Between 2.595 inches and 2.605 inches **Threaded Device Type:** Mounting hole **Mating End Quantity: Contact Position Arrangement Style:** 23 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Friction Thread Length: 0.140 inches Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:**

Gold and copper alloy single mating end single contact grouping

NSN 5935-00-236-2182

Electrical Receptacle Connector - Page 2 of 2



Insert Material:

Plastic diallyl phthalate and plastic acrylic single mating end

Contact Surface Treatment Specification:

Mil-g-45204, ty ii, cl 1, gr b military specification 1st treatment response and mil-c-14550, cl 2 military specification 2nd treatment response single mating end single contact grouping

Terminal Type:

Pin single mating end single contact grouping

Contact Material Specification:

Qq-b-750, composition a, hard temper federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-m-14, ty sdi-5 military specification all material responses single mating end

Unable To Decode:

Unable to decode and unable to decode

Included Contact Quantity:

23 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.023 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.