Electrical Receptacle Connector - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5935-00-237-1402

Thread Class:
2g
Thread Pitch Diameters:
+0.475/+0.500 inches
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling w/backshell
Overall Length:
2.016 inches
Overall Height:
3.250 inches
Overall Width:
3.250 inches
Environmental Protection:
Heat resistant and moisture resistant and vibration proof
Unthreaded Mounting Hole Diameter:
0.281 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
2.531 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.531 inches
Distance From Mounting Shoulder To Front Face:
1.000 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
24-22 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
135.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
900.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
1250.0 single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0

Electrical Receptacle Connector - Page 2 of 3



Shell Type: Solid **Connector Locking Method:** Externally threaded shell **Thread Length:** 0.906 inches Thready Qty Per Inch (tpi): 10 **Thread Size:** 3.000 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Silver single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Solder well single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Anodize **Shell Material Specification:** Qq-a-325, comp 6061, grade t6 federal specification single material response **Included Contact Quantity:** 4 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.004 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Acme Shelf Life: N/a Unit Of Measure: **Demilitarization:** 

No

## NSN 5935-00-237-1402

Electrical Receptacle Connector - Page 3 of 3

**Fiig:** A039b0

