## NSN 5935-00-238-0301

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-238-0301

**Body Style:** 

Straight shape, internal coupling

**Overall Length:** 

Between 1.125 inches and 1.375 inches

Overall Diameter:

1.375 inches

**Environmental Protection:** 

Pressure proof and moisture resistant and vibration resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

14 number 16 single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

22.0 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

342.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet latch

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 2, class 2 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Solder well single mating end single contact grouping

**Shell Material:** 

Aluminum alloy 6061

**Shell Surface Treatment:** 

Anodize

**Shell Material Specification:** 

Qq-a-325, gr t6 federal specification single material response

**Included Contact Quantity:** 

14 single mating end single contact grouping

## NSN 5935-00-238-0301

Electrical Plug Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.014 gold grains, troy
Precious Material:
Gold
Test Data Document:
81349-mil-c-26500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-26500 government specification
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.