

View Online at https://aerobasegroup.com/nsn/5935-00-241-2882

| Body Material: | |
|---|--|
| Plastic | |
| Body Style: | |
| Top mount, press fit | |
| Fabrication Method: | |
| Molded | |
| Tempurature Rating: | |
| -65.0 degrees celsius and 150.0 degrees celsius | |
| Terminal Length: | |
| Between 0.286 inches and 0.348 inches | |
| Overall Height: | |
| Between 0.544 inches and 0.626 inches | |
| Overall Diameter: | |
| Between 0.390 inches and 0.410 inches | |
| Mounting Hole Style: | |
| Single mounting hole/slot | |
| Contact Resistance In Ohms: | |
| 0.009 | |
| Specific Equipment Accommodated: | |
| Semiconducto | |
| Contact Maximum Current Rating In Amps: | |
| 1.0 | |
| Contact Material: | |
| Beryllium copper | |
| Contact Surface Treatment: | |
| Gold and silver | |
| Accommodated Contact Quantity: | |
| 8 | |
| Polarization Type: | |
| Contact position | |
| Projection Length Above Mounting Surface: | |
| 0.062 inches | |
| Mounting Method: | |
| Press fit | |
| Mounting Type For Which Designed: | |
| Chassis | |
| Contact Position Arrangement Style: | |
| Circular .200 inch | |
| Precious Material And Location: | |
| Contact surfaces gold and contact surfaces silver | |
| Precious Material And Weight: | |
| 0.008 gold grains, troy and 0.008 silver grains, troy | |
| | |



Precious Material:

Gold and silver

Terminal Type And Quantity:

8 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300