## NSN 5935-00-241-2915

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-241-2915 **Body Style:** Straight shape, flush mount **Overall Length:** 0.954 inches **Overall Height:** 2.000 inches **Overall Width:** 3.110 inches **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.812 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.783 inches **Distance From Mounting Shoulder To Front Face:** 0.766 inches **Mating End Quantity:** 2 **Contact Position Arrangement Style:** 67 2nd mating end **Contact Removability:** Nonremovable all mating ends all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 2nd mating end 2nd contact grouping Shell Type: Solid **Terminal Location:** Back all mating ends all contact groupings **Contact Material:** Copper alloy all mating ends all contact groupings **Contact Surface Treatment:** Gold all mating ends all contact groupings and silver all mating ends all contact groupings **Insert Material:** Plastic all mating ends **Terminal Type:** Solder well all mating ends all contact groupings **Guide Design And Location:** 

Hexagon shape female post left-hand at 6 oclock

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

Cadmium and chromate

## NSN 5935-00-241-2915

Electrical Receptacle Connector - Page 2 of 2



Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:** 

0.074 gold grains, troy and 0.074 silver grains, troy

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0