NSN 5935-00-241-3635

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-241-3635 **Body Material:** Plastic **Body Style:** Top mount w/metal saddle **Fabrication Method:** Molded **Overall Length:** Between 1.995 inches and 2.005 inches **Tempurature Rating:** -65.0 degrees celsius and 125.0 degrees celsius **Overall Height:** 0.656 inches **Overall Width:** 1.281 inches **Mounting Hole Diameter:** Between 0.213 inches and 0.223 inches **Body Mounting Hole Accommodation Diameter:** Between 1.213 inches and 1.223 inches **Distance Between Mounting Facility Centers:** Between 1.557 inches and 1.567 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps:** 7.5 **Contact Material:** Beryllium copper **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity: Polarization Type:** Colored dot **Projection Length Below Mounting Surface:** 0.547 inches **Mounting Method:** Saddle **Mounting Type For Which Designed:**

Chassis **Contact Position Arrangement Style:**

Concentric

NSN 5935-00-241-3635

Plug-in Electronic Components Socket - Page 2 of 2



Precious Material And Locatio	Precious	Material	And I	Location
-------------------------------	----------	----------	-------	----------

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.020 gold grains, troy and 0.020 silver grains, troy

Precious Material:

Gold and silver

Terminal Type And Quantity:

20 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300